



Bearing Code	d	D	B	C	Fw	Ew	Rmin	M (kg)	CrKN	CorKN	n (1/min)	D1	D2	D3	D4
LSL192316	80	170	58	58	94		2.1	6.1	475	495	8800	92	92	155	155
LSL192317	85	180	60	60	100		3	7.3	500	520	8300	97	97	165	165
LSL192318	90	190	64	64	105.26		3	8.6	590	610	7900	102	102	175	175
LSL192319	95	200	67	67	114.66		3	10	610	660	7500	110	110	185	185
LSL192320	100	215	73	73	119.3		3	12.8	750	790	6300	115	115	200	200
LSL192322	110	240	80	80	135.5		3	17.3	880	940	5700	130	130	220	220
LSL192324	120	260	86	86	147.39		3	22	1060	1150	5300	140	140	240	240
LSL192326	130	280	93	93	157.9		4	27.2	1190	1300	4900	150	150	260	260
LSL192328	140	300	102	102	168.45		4	34	1340	1470	4550	160	160	280	280
LSL192330	150	320	108	108	182.49		4	40.7	1420	1780	4250	170	170	300	300
LSL192332	160	340	114	114	196.38		4	48.1	1600	2020	4000	180	180	320	320
LSL192334	170	360	120	120	230.55		4	57.5	1750	2230	3750	190	190	340	340
LSL192336	180	380	126	126	221.56		4	67.4	1850	2440	3550	200	200	360	360
LSL192338	190	400	132	132	224.43		5	78.1	2110	2750	3400	210	210	380	380
LSL192340	200	420	138	138	238.45		5	89.3	2350	3050	3250	220	220	400	400
LSL192344	220	460	145	145	266.71		5	108	2500	3200	2950	240	240	440	440
LSL192348	240	500	155	155	280.55		5	138.6	2750	3550	2700	260	260	480	480
LSL192352	260	540	165	165	315.6		6	168	3400	4400	2500	280	280	520	520
LSL192356	280	580	175	175	333.1		6	206.6	3700	4850	2330	300	300	560	560
LSL192360	300	620	185	185	350.93		7.5	253	4150	5600	2170	320	320	600	600

SL181840E	200	250	24	24		237.6	1.5	2.57	183	330	1440	208		238	240
SL181844E	220	270	24	24		258.5	1.5	2.8	192	365	1320	228		259	260
SL181848E	240	300	28	28		287.5	2	4.29	265	490	1200	250		288	290
SL1818/500E	500	620	56	56		594.5	3	35.73	980	2050	580	520		600	600
SL181852E	260	320	28	28		308	2	4.61	275	530	1120	270		308	310
SL181856E	280	350	33	33		335	2	6.89	355	670	1030	272		336	338
SL181860E	300	380	38	38		360	2.1	9.79	455	840	950	312		362	364
SL181864E	320	400	38	38		381	2.1	10.36	470	900	900	332		382	384
SL181868E	340	420	38	38		402.2	2.1	10.93	485	960	850	352		404	406
SL181872E	360	440	38	38		423.5	2.1	11.49	500	1010	810	374		424	426
SL181876E	380	480	46	46		459	2.1	18.87	650	1290	750	396		460	462
SL181880E	400	500	46	46		475.5	2.1	19.81	660	1340	720	416		480	480
SL181884E	420	520	46	46		500	2.1	20.6	680	1420	690	438		502	504
SL181888E	440	540	46	46		517	2.1	21.54	700	1470	660	456		520	520
SL181892E	460	580	56	56		554	3	33.21	940	1890	620	480		560	560
SL181896E	480	600	56	56		574.5	3	34.53	960	1970	600	500		580	580
SL182204	20	47	18	18		41.47	1	0.16	45.5	37.5	9700	25		42	43
SL182205	25	52	18	18		46.52	1	0.18	51	45	8400	30		47	48
SL182206	30	62	20	20		55.19	1	0.3	70	65	7000	36		47	48
SL182207	35	72	23	23		63.97	1.1	0.44	88	79	6100	41		65	66
SL182208	40	80	23	23		70.94	1.1	0.55	97	93	5400	47		72	74
SL182209	45	85	23	23		74.43	1.1	0.59	101	99	5000	51		76	78
SL182210	50	90	23	23		81.4	1.1	0.64	109	113	4650	57		82	84
SL182211	55	100	25	25		88.81	1.5	0.87	140	150	4200	62		90	92
SL182212	60	110	28	28		99.17	1.5	1.18	169	180	3800	68		100	102
SL182213	65	120	31	31		106.25	1.5	1.57	198	214	3500	73		108	110
SL182214	70	125	31	31		111.45	1.5	1.66	184	227	3300	78		113	115
SL182215	75	130	31	31		116.2	1.5	1.75	190	241	3150	83		118	120
SL182216	80	140	33	33		126.3	2	2.15	226	285	2950	88		128	130
SL182217	85	150	36	36		133.75	2	2.74	255	325	2750	95		135	138
SL182218	90	160	40	40		141.15	2	3.48	290	370	2600	100		145	148
SL182219	95	170	43	43		155.95	2.1	4.17	340	435	2450	107		158	160
SL182220	100	180	46	46		163.35	2.1	5.13	395	520	2310	112		166	168
SL182222	110	200	53	53		177.6	2.1	7.24	455	590	2090	122		185	185
SL182224	120	215	58	58		192.9	2.1	9.08	540	730	1930	135		200	200

SL182226	130	230	64	64		207.75	3	11.25	630	860	1800	145		215	215
SL182228	140	250	68	68		222.55	3	14.47	720	1020	1660	155		235	235
SL182230	150	270	73	73		237.35	3	18.43	830	1180	1540	165		250	250
SL182232	160	290	80	80		267.1	3	23	1030	1490	1440	180		270	270
SL182234	170	310	86	86		281.9	4	28.65	1150	1680	1350	190		290	290
SL182236	180	320	86	86		294	4	29.8	1190	1780	1300	200		300	300
SL182238	190	340	92	92		311.5	4	35.65	1310	1920	1220	210		320	320
SL182240	200	360	98	98		319.4	4	43.12	1420	2040	1160	220		340	340
SL182912	60	85	16	16		78.55	1	0.29	63	78	4450	65		79	80
SL182913	65	90	16	16		83.5	1	0.31	53.5	80	4200	70		84	85
SL182914	70	100	19	19		92.31	1	0.49	88	114	3800	76		93	94
SL182915	75	105	19	19		97.41	1	0.52	91	121	3600	81		98	99
SL182916	80	110	19	19		102.51	1	0.55	94	129	3400	86		103	104
SL182917	85	120	22	22		109.58	1.1	0.81	118	162	3150	91		110	102
SL182918	90	125	22	22		115.75	1.1	0.84	122	172	3000	96		116	118
SL182919	95	130	22	22		122.25	1.1	0.86	132	179	2900	101		123	124
SL182920	100	140	24	24		130.95	1.1	1.14	152	206	2700	107		132	133
SL182922	110	150	24	24		141.5	1.1	1.23	155	220	2490	117		142	144
SL182924	120	165	27	27		154.3	1.1	1.73	199	295	2270	127		156	158
SL182926	130	180	30	30		167.15	1.5	2.33	238	355	2090	138		170	172
SL182928	140	190	30	30		180	1.5	2.42	260	385	1960	148		181	183
SL182930	150	210	36	36		196.75	2	3.77	340	490	1800	160		198	200
SL182932	160	220	36	36		207.6	2	4	350	520	1710	170		210	210
SL182934	170	230	36	36		218.45	2	4.3	365	560	1620	180		220	222
SL182936	180	250	42	42		231.85	2	6.2	455	690	1510	190		235	235
SL182938	190	260	42	42		244.15	2	6.5	510	790	1440	200		246	248
SL182940	200	280	48	48		241.6	2.1	9.1	610	960	1350	212		264	268
SL182944	220	300	48	48		282.45	2.1	9.9	650	1050	1250	232		284	286
SL182948	240	320	48	48		303.7	2.1	10.6	690	1140	1160	254		305	308
SL182952	260	360	60	60		333.7	2.1	18.5	790	1470	1050	276		335	338
SL182956	280	380	60	60		359.5	2.1	19.7	920	1740	980	295		365	365
SL182960	300	420	72	72		389.45	3	31.2	1180	2230	900	315		400	400
SL182964	320	440	72	72		409.85	3	32.9	1220	2370	850	340		420	420
SL182968	340	460	72	72		430.2	3	34.7	1260	2500	810	360		440	440
SL182972	360	480	72	72		450.6	3	36.4	1290	2650	770	380		460	460

SL182976	380	520	82	82		486.7	4	52.1	1670	3350	720	400		500	500
SL183004	20	42	16	16		36.81	0.6	0.11	30.5	26.5	10500	25		37	39
SL183005	25	47	16	16		42.51	0.6	0.12	35	32.5	9000	30		43	44
SL183006	30	55	19	19		49.6	1	0.2	45	43	7600	35		50	51
SL183007	35	62	20	20		55.52	1	0.26	55	55	6700	40		56	57
SL183008	40	68	21	21		61.74	1	0.31	66	68	6000	45		62	63
SL183009	45	75	23	23		66.85	1	0.4	70	76	5400	50		68	69
SL183010	50	80	23	23		72.33	1	0.43	88	96	5000	55		74	75
SL183011	55	90	26	26		83.54	1.1	0.64	120	136	4450	62		84	85
SL183012	60	95	26	26		86.74	1.1	0.69	123	145	4200	66		88	89
SL183013	65	100	26	26		93.09	1.1	0.73	130	159	3950	72		94	95
SL183014	70	110	30	30		100.28	1.1	1.02	153	176	3600	76		102	103
SL183015	75	115	30	30		107.9	1.1	1.06	162	194	3400	82		108	109
SL183016	80	125	34	34		117.4	1.1	1.43	173	225	3150	88		118	119
SL183017	85	130	34	34		121.95	1.1	1.51	178	237	3000	93		123	124
SL183018	90	140	37	37		130.65	1.5	1.97	208	280	2800	98		132	133
SL183020	100	150	37	37		140.2	1.5	2.15	219	310	2600	108		141	142
SL183022	110	170	45	45		156.7	2	3.5	285	395	2310	119		157	159
SL183024	120	180	46	46		168.15	2	3.8	300	435	2160	129		169	170
SL183026	130	200	52	52		184.4	2	5.65	435	620	1960	140		186	188
SL183028	140	210	53	53		198.4	2	6.04	455	680	1850	152		199	200
SL183030	150	225	56	56		207.45	2.1	7.33	480	710	1730	160		208	210
SL183032	160	240	60	60		225.45	2.1	8.8	550	820	1620	173		226	228
SL183034	170	260	67	67		243.55	2.1	12.2	710	1070	1510	184		245	247
SL183036	180	280	74	74		261	2.1	16.1	820	1260	1410	196		262	264
SL183038	190	290	75	75		270.6	2.1	17	840	1320	1350	206		272	274
SL183040	200	310	82	82		288.6	2.1	21.8	960	1530	1270	218		290	292
SL183044	220	340	90	90		312	3	28.4	1160	1840	1160	238		320	320
SL183048	240	360	92	92		336	3	30.9	1220	2010	1080	260		340	340
SL183052	260	400	104	104		375.97	4	44.5	1620	2550	980	280		380	380
SL183056	280	420	106	106		390.3	4	48	1670	2700	930	300		400	400
SL183060	300	460	118	118		434.85	4	66.6	2040	3350	850	320		440	440
SL183064	320	480	121	121		449.5	4	71.7	2100	3500	810	340		460	460
SL183068	340	520	133	133		485.65	5	95.8	2500	4150	750	360		500	500
SL183072	360	540	134	134		503.45	5	101	2550	4350	720	380		520	520

SL183076	380	560	135	135		521.25	5	106	2600	4500	690	400		540	540
SL183080	400	600	148	148		558.52	5	140	3100	5400	650	420		580	580
SL192305	25	62	24	24	31.72		1.1	0.37	73	60	7400	30	30	55	55
SL192306	30	72	27	27	38.3		1.1	0.56	100	88	6400	36	36	64	64
SL192307	35	80	31	31	44.68		1.5	0.74	126	112	5600	42	42	72	72
SL192308	40	90	33	33	51.12		1.5	1.01	170	156	5000	48	48	82	82
SL192309	45	100	36	36	56.1		1.5	1.37	181	169	4450	53	53	90	90
SL192310	50	110	40	40	60.72		2	1.81	232	219	4050	58	58	100	100
SL192311	55	120	43	43	67.11		2	2.28	270	255	3700	65	65	110	110
SL192312	60	130	46	46	73.62		2.1	2.88	285	280	3400	70	70	118	118
SL192313	65	140	48	48	80.69		2.1	3.52	350	355	3150	77	77	128	128
SL192314	70	150	51	51	84.14		2.1	4.33	385	390	2950	82	82	136	136
SL192315	75	160	55	55	91.22		2.1	5.3	460	475	2750	88	88	146	146
SL192316	80	170	58	58	98.24		2.1	6.23	540	560	2600	95	95	156	156
SL192317	85	180	60	60	107.01		3	7.34	570	620	2450	100	100	165	165
SL192318	90	190	64	64	105.26		3	8.83	620	660	2310	102	102	175	175
SL192319	95	200	67	67	114.65		3	10.2	650	720	2200	110	110	185	185
SL192320	100	215	73	73	119.3		3	13	790	860	2060	115	115	200	200
SL192322	110	240	80	80	134.27		3	17	950	980	1850	130	130	220	220
SL192324	120	260	86	86	147.39		3	22.3	1130	1240	1710	140	140	240	240
ZSL192305	25	62	24	24	31.72		1.1	0.36	68	55	16100	30	30	55	55
ZSL192306	30	72	27	27	38.3		1.1	0.55	94	81	13700	36	36	64	64
ZSL192307	35	80	31	31	44.68		1.5	0.72	118	104	12200	42	42	72	72
ZSL192308	40	90	33	33	51.12		1.5	1	160	144	10800	48	48	82	82
ZSL192309	45	100	36	36	56.1		1.5	1.34	171	160	9700	53	53	90	90
ZSL192310	50	110	40	40	60.72		2	1.76	219	202	8800	58	58	100	100
ZSL192311	55	120	43	43	67.11		2	2.22	255	236	8000	65	65	110	110
ZSL192312	60	130	46	46	73.62		2.1	2.82	270	260	7400	70	70	118	118
ZSL192313	65	140	48	48	80.69		2.1	3.44	335	330	6800	77	77	128	128
ZSL192314	70	150	51	51	84.14		2.1	4.27	365	365	6400	82	82	136	136
ZSL192315	75	160	55	55	91.22		2.1	5.2	435	440	6000	88	88	146	146
ZSL192316	80	170	58	58	98.24		2.1	6.2	510	520	5600	95	95	156	156
ZSL192317	85	180	60	60	107.01		3	7.23	540	570	5300	100	100	165	165
ZSL192318	90	190	64	64	105.26		3	8.7	590	610	5000	102	102	175	175
ZSL192319	95	200	67	67	114.65		3	10	620	670	4750	110	110	185	185