


LED 格栅灯




LED Grille Light



BSD-GS005





BSD-GS006



外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-GS005		2PCS	1212L×315W×115H
BSD-GS006		2PCS	1212L×615W×115H

产品特点 Product Features

节能，同等功率下耗电仅为传统日光灯的30%，寿命长，24小时常开寿命长达六年，显色性好，可频繁开关，颜色丰富，发热量低。

Energy saving, at the same power level, the power consumption is only 30% of the traditional fluorescent lamp. Long lifespan, lifespan can be reached six years with 24 hours opening. High CRI, frequent switch, rich colors, low heat.

应用场合 Applications

适用于各类办公、地铁站、车站、商场等照明场所。

Apply to offices, metro stations, stations and store lighting places.

规格参数 Specifications

型号 Type	GS005 / GS006
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	36W / 54W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	3528LED
芯片尺寸 Chip Size (mil)	12*12
光源数量 Light Source Quantity (pcs)	2 / 3
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000



LED 斗胆灯

LED Beans Gall Light

BSD-DD001



BSD-DD002



产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不褪色，产品结构科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications



家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.


规格参数 Specifications

型号 Type	DD001 / DD002
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	3W / 6W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	3 / 6
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000

外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-DD001		64PCS	550L×550W×550H
BSD-DD002		50PCS	550L×475W×550H

LED 斗胆灯



LED Beans Gall Light


BSD-DD003




BSD-DD004



外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-DD003		50PCS	650L×550W×550H
BSD-DD004		64PCS	625L×625W×560H

产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不变色，产品结构设计科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications

家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.

规格参数 Specifications

型号 Type	DD003 / DD004
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	9W / 5W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	9 / 5
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000



LED 斗胆灯

LED Beans Gall Light

BSD-DD005



BSD-DD006



产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不褪色，产品结构科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications


家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.


规格参数 Specifications

型号 Type	DD005 / DD006
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	10W / 15W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	10 / 15
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000

外形尺寸图 Dimension Diagram




包装参数 Packaging Parameters




Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-DD005		24PCS	555L×465W×560H
BSD-DD006		12PCS	620L×395W×560H

LED 斗胆灯


LED Beans Gall Light



外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-DD007		12PCS	435L×435W×475H
BSD-DD008		9PCS	645L×445W×475H

产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不变色，产品结构设计科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications

家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.

规格参数 Specifications

型号 Type	DD007 / DD008
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	8.4W / 16.8W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	7 / 14
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000



LED 斗胆灯

LED Beans Gall Light

BSD-DD009



BSD-DD010



产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不变色，产品结构设计科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications


家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.


规格参数 Specifications

型号 Type	DD009 / DD010
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	25.2W / 33.6W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	21 / 28
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000

外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-DD009		9PCS	645L×545W×475H
BSD-DD010		9PCS	645L×680W×475H


LED 斗胆灯




LED Beans Gall Light




外形尺寸图 Dimension Diagram



配光曲线 Light Distribution Curve



包装参数 Packaging Parameters



Item	Size(mm) 包装数量 Qty	外箱尺寸 Carton Size
BSD-DD011	1PC	390L×380W×155H

产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不变色，产品结构科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications

家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.

规格参数 Specifications

型号 Type	DD011
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	33.6W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	28
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000



LED 斗胆灯

LED Beans Gall Light

BSD-DD012



BSD-DD013



产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不变色，产品结构科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications


家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.


规格参数 Specifications

型号 Type	DD012 / DD013
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	9W / 18W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	9 / 18
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000

外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm)	包装数量 Qty	外箱尺寸 Carton Size
BSD-DD012		12PCS	445L×445W×435H
BSD-DD013		6PCS	445L×445W×435H

LED 斗胆灯



LED Beans Gall Light



BSD-DD014





BSD-DD015



外形尺寸图 Dimension Diagram



包装参数 Packaging Parameters



Item	Size(mm) 包装数量 Qty	外箱尺寸 Carton Size
BSD-DD014	6PCS	545L×445W×435H
BSD-DD015	12PCS	445L×445W×435H

产品特点 Product Features

采用高档铝合金外壳，更加快速散热，PC透镜，造型别致优雅，外观简洁时尚，永不变色，产品结构设计科学合理，安装简单，坚固耐用，采用LED光源，低耗能，色彩鲜亮，光衰小。

Using high quality aluminium alloy shell that dissipate heat more rapidly. PC lens, unique and elegant, simple and fashion, never fade. Scientific and reasonable structure design, easy installation, sturdy and durable. Using LED light source, low power consumption, fresh colour, low luminous decay.

应用场合 Applications

家具展厅、服装店、精品店、艺术展示、酒店、阅览室、茶馆、咖啡厅、饰品柜、酒吧、舞台、KTV、博物馆、学校、会议室、家居、长廊等室内、工业照明。

Apply to furniture exhibition hall, clothing shop, boutique, art show, hotel, reading room, teahouse, coffee house, jewelry show window, bar, stage, KTV, museum, school, meeting room, home lighting, gallery, indoor lighting and industrial lighting.

规格参数 Specifications

型号 Type	DD014 / DD015
材料 Material	Al
防护等级 IP Rating	IP40
功率 Power (W)	27W / 12W
输入电压 Input Voltage (V)	85-265
光源类型 Light source Type	high power LED
芯片尺寸 Chip Size (mil)	45
光源数量 Light Source Quantity (pcs)	27 / 12
光源光效 Luminous Efficiency (Lm/W)	90-130
显色指数 CRI	80
色温 Color Temp (k)	2800-7000
环境温度 Environment Temperature (°C)	-40~45
使用寿命 Lifespan (h)	30000-80000